
ALLNET Touch Display Tablet 12 inch PoE with 8GB/64GB, RK3568 Android 13,PrimeOne-120

>>> Go to the shop article



EAN CODE

4038816129048

Discover the ALLNET PrimeOne Android 13 Tablet – your gateway to a smart future! Equipped with Google certification, this powerful tablet not only offers a smooth Android experience, but also the assurance that you have access to the latest and greatest apps in the Google Play Store.

Our tablet is specifically designed for the end user who wants to get the most out of home automation and monitoring software. With MDM (Mobile Device Management) support, you retain full control over your tablet and can easily integrate it into your existing system.

Thanks to the innovative PoE (Power over Ethernet) support, the ALLNET PrimeOne Tablet makes installation easier than ever before. With just one cable for data transmission and power supply, you can place your tablet anywhere without having to worry about sockets.

The conscious decision not to install a battery contributes to even more safety. No more worries about battery failures or replacements - the ALLNET PrimeOne tablet is always ready to support your home automation and monitoring software in a reliable way.

Google certification ensures not only security, but also a wide range of applications from entertainment to productivity. The ALLNET PrimeOne tablet is designed to simplify your everyday life while delivering the highest performance.

With the integrated WLAN functionality, you are always connected. No matter whether you place your tablet in the living room or in the garden - you always have access to your smart home devices and monitoring systems.

The built-in TeamViewer support allows you to access your tablet from anywhere in the world. This is particularly useful when you are travelling and still want to maintain full control of your home automation and monitoring software. Whether you need to control your lighting, temperature or security cameras - the ALLNET PrimeOne

ALLNET GmbH - Maistraße 2 - 82110 Germering - sales@allnet.de - 089 / 894 222 22

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

tablet makes it easy and convenient.

Get the ALLNET PrimeOne Android 13 tablet today and experience the future of home automation in your own home. Don't miss the chance to make your home smarter and safer – with the ALLNET PrimeOne tablet you are well equipped!

Model NO. PrimeOne120		
Product Type	**12" POE**	(11.6" inch 1920x1080 16:9)
Description		
System	CPU/GPU	Rockchip RK3568 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52 2EE MC2
	RAM	8GB (as of PD 05/2023)
	ROM	64GB
	System	Android 13
Display	screen	11.6 inch IPS panel
	resolution	1920*1080 Wide viewing
	Contrast	1000
	Brightness	500nits
Network	WiFi	802.11a/b/g/n 2.4/5GHz
	Ethernet	POE
	Bluetooth	YES
	3G	Support external 3G USB dongle
Jack	SD	Support SD card (Max 32G)
	Mini USB	Mini USB
	USB Host x 3	USB Host 3.0/2.0
	RJ-45	built in
	DC	DC input
	Headset	3.5mm stereo headphone/micro output
Multimedia	Video	Video decode – H.264/4K H.265/VP9 Video encode – 1080p60 Hz.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
other functions	Wireless mouse	Support
	Wireless keyboard	Support

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

	Speak	2Wx2
	Camera	2 million pixel camera
	OSD Language	Multi language OSD operation
attachment	Adapter	12V/2A
	Desktop Bracket	Standard
	Vesa	75x75mm

Attributes

Attribute	Value
Abmessung:	284,65x182,25x29,48 mm
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	8
Auflösung Panel:	1920x1080
Betriebssystem:	Android 13
Bluetooth:	ja;
Chipset:	RK3568
Diagonale:	12
Einsatzbereiche:	indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	64
IP Schutzklasse Display:	IP 20
Kamera:	ja
Mobilfunk:	nein
Montageart:	Vesa 75x75;
NFC&RFID:	über USB - ACR-1252U-MW Wallet zertifiziert
PoE Details:	IEEE 802.3af (PoE) liefert 15 W Ausgangsleistung bzw. bis zu 12,95 W am Endgerät
Produktart:	Tablet
SIP Einbindung:	Nein
Stromversorgung:	PoE und Netzteil
Touchscreen:	Capacitiv

ALLNET GmbH - Maistraße 2 - 82110 Germering - sales@allnet.de - 089 / 894 222 22

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Attribute	Value
Video Eingang:	nein
WLAN:	2,4/5
Weight:	1,3 Kg
Warranty:	12.00 Months

Accessories

Part No.	Name
209279	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame black wide
209280	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame black narrow
209281	ALLNET Touch Display Tablet 12 in. Wall mounting Mounting frame for flush-mounted/cavity surface-mounted
209282	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame silver narrow
209283	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame, silver wide
209284	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame, white wide
209285	ALLNET Touch Display Tablet 12 inch zbh. Bezel for mounting frame, white narrow
158949	Rock Pi 4 zbh. USB 3.0 Male Type A to A 1,5m
146334	VESA wall mount for tablet, monitors very flat with securing
149144	VESA Adapterplatte Mini-PC an VESA Monitor-Halterung
161472	VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke
198301	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
198302	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
211861	VESA Deckenhalterung "Newstar" FPMA-C100 weiss
222896	VESA wall mount for tablet, monitors very flat with securing option 7.5 &10 cm
224275	VESA monitor stand for tablet, display, monitor 7.5cm/10cm Vesa, 2 joints
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa
79113	Synergy 21 LED light panel zub. Netzteil Anschluß
235165	VESA Wandhalterung für Tablet, Monitore sehr flach mit Sicherungsmöglichkeit 7,5 &10 cm
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Part No.	Name
	Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
265166	ALLNET PoE Modul für Tablet RK3566 Ersatzteil
210304	ALLNET Ersatznetzteil 12V/5A EU Type schwarz mit Adapter EU,US,UK

ALLNET GmbH - Maistraße 2 - 82110 Germering - sales@allnet.de - 089 / 894 222 22

Errors and technical changes that serve the interests of progress or development of the product, are reserved.