

ALLNET ALL02530HS / Wireless N 300Mbit Hot-Spot-Gateway/Prin

>>> [Go to the shop article](#)



EAN CODE



ALLNET ALL-HS02530 Wireless 300Mbit Hotspot in a Printer

Wireless Subscriber Gateway with built-in thermal printer to generate user's account for Internet access and is perfect for small venue owners

With BYOD trend today, Wi-Fi service isn't only a side benefit of your business, it also attracts people to come over. Most people need Wi-Fi access for their works, researches and communications. Therefore, the ALL-HS02530 offers you a robust and secure hotspot solution which is just perfect for the mini size venues such as café/airport, lounge/store or shop and provides customizable billing profiles.

While you focus on growing and managing your core business, the ALL-HS02530 can help to promote your products, services and satisfy your customers. With its user friendly design, venues owners can easily train their staffs to operate the gateway and print out the account ticket to access Internet for their customers.

The ALL-HS02530 can be used as a standalone authentication gateway to monitor and control Internet access while guests/visitors are visiting. The features of ALL-HS02530 support web-based authentication and management tool and marketing cooperation such as walled gardens, an internal portal page, and external portal page redirection. It also offers bandwidth and billing management for users who need the differential QoS.

Traditionally, the small venues provide guests public access to Internet with one common username/password. It is insecure and easy to get identity hijacked. The venue owner will take lots of efforts to provide the secure Internet access for guests. They have to pre-build user's accounts and print them out. With advantage of the ALL-



HS02530 patented Account Generator, you just press a button to print the Internet access ticket with private username/password in few seconds.

We also design a login page for venues to key-in guests/visitors identity to fit the laws. According to the law, it requires venue owners to provide the guest's Internet usage records for tracking. Thus the ALL-HS02530 provides a Real-time session information and the remote site administrator could monitor the real time usage status via Session information page.

The ALL-HS02530 is one of unique innovation from Handlink, it's more than a simple Wi-Fi hotspot device; it's also equipped with IP Plug and Play technology so there's no need for end-users to change any settings in the their devices.
It's fast, easy and trouble free to access Internet.

FEATURES

- All-In-One Instant Hotspot Gateway with built-in Thermal Printer
- Compatible with IEEE802.11n/b/g, Wireless 2T2R 2.4GHz with 300Mbps high speed network
- Support up to 30 simultaneous devices and up to 256 local accounts
- **Support WPA / WPA2 Encryption**
Administration access Control, Layer 2 Isolation and SSL login page to enhance security
- **AAA Control and Billing Support**
Support network access control service including Authentication, Authorization and Accounting (AAA) for internet subscribers and 10 billing profiles
- **Support Rich Networking Functions**
Transparent HTTP proxy, and various WAN connections
- **VPN PASS Through**
Run your VPN or Secure tunnelling client software to connect to your company's VPN server
- **IP Plug and Play Internet Access**
Zero configuration Internet access! Connect your office PC, laptop and handheld devices to the network without human intervention. It will automatically configure itself for the network.

Accessories

Part No.	Name
144826	ALLNET ALL-WAPC0486AC / 1300 Mbit Wireless Contr. AC IP68AP
107403	ALLNET ALL02530HS zbh. LAN-Option/Schnittstelle
108937	ALLNET ALL02530HS / zbh. Replacement Thermopapier 50m



Part No.: 104128
Vendor Part No.: ALL-HS02530

Part No.	Name
186548	ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic
99305	ALLNET / ALL95100 TP Cat 6 / PoE Surge arrester
194025	ALLNET Switch full managed 24 Port Gigabit 390W / 24x PoE+ / 4x SFP / FANLESS / 19" / "ALL-SG8626PM"
93392	ALLNET Switch unmanaged 8 port Gigabit 150W / 8x PoE+ / Fanless / 19" / "ALL8808POE"
223949	ALLNET Switch full managed Layer2+ 10 Port • 8x GbE • PoE Budget 130W • 8x PoE at • 2x SFP • 19" • Fanless • JSON API • ALL-SG8610PMJ
223949	ALLNET Switch full managed Layer2+ 10 Port • 8x GbE • PoE Budget 130W • 8x PoE at • 2x SFP • 19" • Fanless • JSON API • ALL-SG8610PMJ
119387	ALLNET ALL-WA0100N / 150Mbit Wireless Nano USB 2.0 Nano Adap
111798	ALLNET ALL0235NANO / Wireless N 150Mbit USB Stick
116361	ALLNET ALL-WA1200AC / 1200Mbit Wireless AC USB 3.0 Dual Band