Part No.: 258477
Vendor Part No.: MeetTwo-080

ALLNET Meeting Room RGB LED Tablet, 8-inch, RK3568, 8GB/32GB, Wi-Fi 6, Android 13, NFC, Black

>>> Go to the shop article

EAN CODE

4 0 3 8 8 1 6 1 6 0 9 5 9

ALLNET Meeting Room RGB LED Tablet 8-inch RK3568 Android 14 and NFC, colour: black , compatible with ReinerSCT

Includes power supply and integrated snap-in wall mount with anti-theft protection. RGB LED for displaying, for example, warning signals, meeting room occupancy, etc.

NFC also makes it very easy to implement time-recording terminals or information terminals with ID, such as in multi-occupancy residential complexes.

The API/SDK for NFC/RFID and LED can be found at https://firmware.allnet.de

For further information, please refer to the NFC data sheet.

System	CPU	RK3568, quad-core Cortex A55, 1.6 GHz
	RAM	8 GB
	Internal memory	32 GB
	Operating system	Android 14
Display	Touch screen	10-point capacitive touch
	Panel	8" LCD panel
	Resolution	1280×800
	Active area	217.4 (H) x 136.4

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

		mm (V)
	Display mode	Normally black, IPS
	Viewing angle	85/85/85/85 (L/R/U/D)
	Contrast ratio	800
	Luminance	280 cd/m²
	Aspect ratio	16:10
Network	Wi-Fi	2.4/5 GHz 802.11a/b/g/n
	Ethernet	100M/1000M Ethernet
	Bluetooth	Bluetooth 5.0
Interface	Card slot	SD card
	USB	USB Host
	Micro USB	Micro USB OTG
	USB	USB for serial
	RJ45 with POE	RJ45
	POE	IEEE802.3at
	Power jack	DC power input
	Headphones	3.5mm headphone jack
Media playback	Video format	MPEG-1, MPEG-2, MPEG-4, H.263, H.264, VC1, RV etc., supports up to 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	JPEG, PNG, etc.
Other	VESA	204.5 mm
	NFC	NFC at 13.56 MHz
	Camera	2.0M/P, front camera
	Microphone	Microphone
	Speaker	2*1.5W
	LED light bar	LED light bar with RGB and mixed colours
	Operating temperature	0–40 degrees
	Certificates	CE/FCC/RoHS
	Language	Multi-language

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Accessories			Adapter			Adapter, 12V/1.5A		
			User manual			yes		
Unit (without packaging)			Gift box (with packaging)			Carton 5pcs/CTN		
L	W	H	L	W	H	L	W	H
259.36 mm	178.36 mm	28 mm	390 mm	220 mm	68 mm	405 mm	363 mm	240 mm
Net (kg)	0.74 kg		Net (kg)	2.3 kg				

Attributes

Attribute	Value
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	8
Auflösung Panel:	1280x800
Betriebssystem:	Android 14
Bluetooth:	ja
Chipset:	RK3576
Diagonale:	8
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	32
IP Schutzklasse Display:	IP 20
Kamera:	5MP
Mobilfunk:	nein
Montageart:	Vesa 75x75;integrierte Halterung;
NFC&RFID:	13,56MHz/125KHz
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
WLAN:	2,4&5

Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Attribute	Value
Weight:	1 Kg
Warranty:	24.00 Months

Errors and technical changes that serve the interests of progress or development of the product, are reserved.