

ALLNET Medizinisches PoE Tablet 10 Zoll mit RK3568 Android 11 4GB/32GB

>>> [Go to the shop article](#)



EAN CODE




ALLNET Medical PoE Tablet 10 inch with RK3568 Android 11, 4GB/16GB optional one-touch button with microphone for e.g. emergency call function (API) for integration into your own software

System	RAM		4GB
	Internal memory		16GB
	Operation system		Android 11
	Touch screen		10-Point capacitive touch
Display	Panel		10.1"LCD panel
	Resolution		1280*800
	Display mode		Normally black
	viewing angle		85/85/85/85/85(L/R/U/D)
	Contrast ratio		800
	Luminance		250cdm2
	Aspect Ratio		16:9
Network	WiFi		802.11b/g/n/ac,2.4G/5G
	Ethernet		100M/1000M



Part No.: 217921
Vendor Part No.: MedTab100

Interface	Bluetooth		Bluetooth 4.0
	Type-c		Support
	Power Jack		DC power input
	RJ45		POE, IEEE802.3af, 15.4 Watt,
	USB		USB Host 2.0
	Serial		8P- 2.0MM (RS232 format)
	Earphone		3.5mm earphone +microphone
Media plays	Video format		MPEG-1,MPEG-2,MPEG-4,H.265,H.264, VC-1,VP8, etc.,support up to 4K
	Audio format		MP3/WMA/AAC etc.
	Photo		jpeg
Other	Vesa		100mm*100mm
	NFC		NXP NFC
	Speaker		2*2W
	Camera		5.0M/P,front camera
	Internal Microphone		Dual microphone (default)
	Language		Multi-language
	Working temp		0--40degree
	Certificates		
	Adapter		Adapter,12V/1.5A
	Measurement		266.1 x 184.9 x 28.9mm



Attributes

Attribute	Value
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3568
Diagonale:	13,3
Einsatzbereiche:	Medical
Farbe Displayrand:	weiß
Farbe Gehäuse:	weiß
Hauptspeicher:	16
IP Schutzklasse Display:	IP 20
Kamera:	ja
NFC&RFID:	13,56MHz
PoE Klasse:	802.3af 6,49-12,95 W Class 3



Attribute	Value
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
WLAN:	2,4&5
Weight:	1 Kg
Warranty:	12.00 Months

Accessories

Part No.	Name
193972	TP-TP coupler, CAT6A, socket, 1:1, 8-pin, RJ45, Security-Network coupler, drop socket, PoE capable, up to 10 Gbit (ABS housing) - ALL-RJ45-Magnet-V2
201008	TP-TP coupling, CAT6A, female, 1:1, 8-pin, RJ45, magnetic fuse coupling 50pcs bulk set, drop socket, PoE capable, up to 10Gbit - ALL-RJ45-Magnet-50pcsBulk
157678	ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
154446	ALLNET medizinisches Netzteil 12V/3000mA
153223	ALLNET spare power supply unit zbh. Extension DC 5.5mm x 2.1mm plug-->DC plug 4.0mm x 1.7mm, 3m length