


## ALLNET Medical PoE Tablet 15 inch with RK3568 Android 11 4GB/16GB

>>> [Go to the shop article](#)

### EAN CODE



ALLNET Medical PoE Tablet 15 inch with RK3568 Android 11 4GB/16GB with optional one-touch button and microphone for e.g. emergency call function (API) for integration into your own software

The **MedTab** from ALLNET impresses with its simple, appealing design and the latest Android software. The buttons are easy to reach and intuitive to use. The cables are securely fixed behind the Vesa holder, which minimises the risk of damage to the connections and makes access more difficult for curious patients.

The trays are made of abrasion-resistant plastic and are also resistant to aggressive cleaning agents.

The tablet is powered by a powerful RK3568 Rockchip Quad Core processor, ideal for media playback such as FullHD videos and music.

The tablets are supplied with a built-in NXP NFC chip, which can also be used to implement patient terminals and grant access authorisations.



| Product data sheet  |                                        |                                  |  |
|---------------------|----------------------------------------|----------------------------------|--|
| Model No            | ALL_MedTab_1518T                       |                                  |  |
| Brand               | ALLNET                                 |                                  |  |
| Product type        | Wall Mount Digital Signage             |                                  |  |
| Product Description | 15.6" Medical Industry Digital Signage |                                  |  |
| System              | CPU                                    | Quad core cortex A55,1.8G,RK3568 |  |
|                     | RAM                                    | 4GB                              |  |
|                     | Internal memory                        | 16GB                             |  |
|                     | Operation system                       | Android 11                       |  |
|                     | Touch screen                           | 10-Point capacitive touch        |  |
| Display             | Panel                                  | 15" LCD IPS panel                |  |
|                     | Resolution                             | 1920*1080                        |  |
|                     | Active area                            | x                                |  |
|                     | Display mode                           | Normally black,IPS               |  |
|                     | viewing angle                          | 80/80/80/80/80(L/R/U/D)          |  |
|                     | Contrast ratio                         | 700                              |  |
|                     | Luminance                              | 250cdm2                          |  |
|                     | Aspect Ratio                           | 16:9                             |  |

|             |                       |                                                               |
|-------------|-----------------------|---------------------------------------------------------------|
| Network     | WiFi                  | 2.4/5GHz<br>802.11a/b/g/n                                     |
|             | Ethernet              | 100M/1000M                                                    |
|             | Bluetooth             | Bluetooth 5.0                                                 |
| Interface   | USB Device            | Micro USB OTG                                                 |
|             | Power Jack            | DC power input                                                |
|             | RJ45                  | RJ45                                                          |
|             | Earphone              | 3.5mm earphone                                                |
| Media plays | Video format          | MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4k |
|             | Audio format          | MP3/WMA/AAC etc.                                              |
|             | Photo                 | jpeg                                                          |
| Other       | Wall mounting bracket | 100mm*100mm wall mounting                                     |
|             | NFC                   | 13.56M(Optional)                                              |
|             | Button                | POWER/VOLUME+/VOLUME-/CALL                                    |
|             | Speaker               | 2*2W                                                          |
|             | Camera                | 2.0M/P,Front camera                                           |
|             | Micphone              | yes                                                           |
|             | Language              | Multi-language                                                |
|             | Working temp          | 0--40degree                                                   |
|             | Certificates          | CE                                                            |
| Accessories | Adapter               | Adapter,12V/1A                                                |
|             | User manual           | yes                                                           |

## Attributes

| Attribute              | Value      |
|------------------------|------------|
| Arbeitsspeicher (RAM): | 4          |
| Auflösung Panel:       | 1920x1080  |
| Betriebssystem:        | Android 13 |
| Bluetooth:             | ja         |
| Chipset:               | RK3568     |

| Attribute                | Value                         |
|--------------------------|-------------------------------|
| Diagonale:               | 15                            |
| Einsatzbereiche:         | Medical                       |
| Farbe Displayrand:       | weiß                          |
| Farbe Gehäuse:           | weiß;                         |
| Hauptspeicher:           | 16                            |
| IP Schutzklasse Display: | IP 20                         |
| Kamera:                  | ja                            |
| Montageart:              | Vesa 100x100;                 |
| NFC&RFID:                | 13,56MHz                      |
| PoE Klasse:              | 802.3at 12,95-25,50 W Class 4 |
| Produktart:              | Tablet                        |
| Stromversorgung:         | PoE&Netzteil                  |
| Touchscreen:             | kapazitiv                     |
| WLAN:                    | 2,4/5                         |
| Weight:                  | 2,49 Kg                       |
| Warranty:                | 12.00 Months                  |

## Accessories

| Part No. | Name                                                                                                                                                       |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 193972   | TP-TP coupler, CAT6A, socket, 1:1, 8-pin, RJ45, Security-Network coupler, drop socket, PoE capable, up to 10 Gbit (ABS housing) - ALL-RJ45-Magnet-V2       |
| 201008   | TP-TP coupling, CAT6A, female, 1:1, 8-pin, RJ45, magnetic fuse coupling 50pcs bulk set, drop socket, PoE capable, up to 10Gbit - ALL-RJ45-Magnet-50pcsBulk |
| 157678   | ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket                                                                         |
| 232368   | Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21                                                 |
| 232390   | Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,                                                |
| 232391   | Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,                                                |
| 232643   | Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,                                                              |



Part No.: 214103  
Vendor Part No.: MedTab150

| Part No. | Name                                                                                                   |
|----------|--------------------------------------------------------------------------------------------------------|
| 232644   | Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,          |
| 154446   | ALLNET medizinisches Netzteil 12V/3000mA                                                               |
| 153223   | ALLNET spare power supply unit zbh. Extension DC 5.5mm x 2.1mm plug-->DC plug 4.0mm x 1.7mm, 3m length |