

Synergy 21 LED Flex Strip 60 WW DC24V 72W IP68 CRI>90



Abbildung ähnlich



LED Flex Strip warm white,
DC24V, max. 3A, 72W,
300Leds, 120°, 5050SMD
CRI>90
Length: 5000*12.9*5mm,
Lumen: 4500
3000K ±250
outdoor, filled tube, IP68
can be shortened: every 5 cm
open cable end
Adhesive tape for mounting aid on the back

Suitable up to -25°C!

Energy efficiency class: A
kWh/1000h: 72

Please note that LED strips also need to be cooled.

Make sure that the LED strip does not exceed an operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	3
CC oder CV:	CV
CRI:	>90
Dimmbar:	Ja, abhängig vom Netzteil
LED Strip Klebeband:	ja
LED Strip Breite:	10
LED Strip Chip Anzahl:	60
LED Strip Chip Typ:	5050
LED Strip Höhe:	6
LED Strip kürzbar:	100
LED Strip Länge:	5000
Lichtfarbe:	Warmweiß
Lichtfarbe in Kelvin:	3000
Lumen:	4500
Schutzklasse:	IP68
Volt:	24
Weight:	0.43 Kg
Warranty:	60.00 Months

Additional Images



Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports

Part No.	Name
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
247722	Synergy 21 Outdoor Kabelverbinder IP68 1:1 mit 2fach Klemme
247724	Synergy 21 Outdoor Kabelverbinder IP68 1:1 mit 3fach Klemme
250038	Synergy 21 indoor Kabelverbinder 3in - 6out
250039	Synergy 21 indoor Kabelverbinder 2in - 4out
250190	Synergy 21 Solder Heat Shrink Connector Set – Waterproof IP67