




Part No.: 201316  
Vendor Part No.: ALLTAB14RK3566A11PoE

## ALLNET Touch Display Tablet 14 inch PoE with 4GB/16GB, RK3566 Android 11 black

>>> [Go to the shop article](#)



### EAN CODE



Advertising ALLinOne PC with Rockchip RK3566 CPU and Android 11. 4GB Ram / 16GB memory. Expandable via USB and SD cards. 1920x1080 FullHD resolution, PoE (Power over Ethernet).

The 3566 is a new processor from Rockchip and is ideally suited as a display screen.

The front-panel touch-sensitive power button can be disabled by software.

Please note!

The screens will be changed in the next batch 12/2022 and get at the request of several customers the color black. They also come with 4GB Ram.

Model NO. ALLTAB-14RK3566A11PoE		
Product Type	14" POE	
Description		
System	CPU/GPU	Rockchip RK3566 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU
	RAM	2GB/ (4GB ab Batch 12/2022)
	ROM	16GB
	System	Android 11
Display	screen	14 Zoll IPS Panel



	resolution	1920x1080 Wide viewing
	Contrast	1000:1
	Brightness	350Nits
<b>Network</b>	WiFi	802.11a/b/g/n 2,4/5GHz
	Ethernet	POE
	Bluetooth	YES
	3G	Support external 3G USB dongle
<b>Jack</b>	SD	Support SD card ( Max 32G )
	Mini USB	Mini USB
	USB Host x 3	USB Host 3.0/2.0
	RJ-45	built in
	DC	DC input
	Headset	3.5mm stereo headphone/micro output
<b>Multimedia</b>	Video	Video decode – H.264/H.265/VP9 Video encode – 1080p60 H.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
<b>other functions</b>	Wireless mouse	Support
	Wireless keyboard	Support
	Speak	2Wx2
	Camera	2 million pixel camera
	OSD Language	Multi language OSD operation
<b>attachment</b>	Adapter	12V/2A
	Desktop Bracket	Standard
	Vesa	75x75mm

Limitations:

These tablets cannot be compared with tablets from major brands. The Android system is based on AOSP. Some applications and functions are therefore limited and non-functional.

## Attributes

Attribute	Value
Abmessung:	354x228x33 mm

Attribute	Value
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Betriebssystem:	Android 11
Bluetooth:	ja;
Chipset:	RK3566
Diagonale:	10;
Einsatzbereiche:	indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	16
Kamera:	ja
Mobilfunk:	nein
Montageart:	Vesa 75x75;
Produktart:	Tablet
SIP Einbindung:	Nein
Stromversorgung:	PoE und Netzteil
Touchscreen:	Capacitiv
Video Eingang:	nein
Weight:	2 Kg
Warranty:	12.00 Months

## Accessories

Part No.	Name
104257	VESA Wandhalterung Flepo - omicron-1 für Tablet, Monitore
146334	VESA wall mount for tablet, monitors very flat with securing
186548	ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic
112270	ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W
138516	ALLNET ALL-SG8245PM / managed 5 Port Gigabit Switch, 4x PoE
157678	ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket
168029	ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client

Part No.	Name
198301	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
198302	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
149144	VESA Adapterplatte Mini-PC an VESA Monitor-Halterung
161472	VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke
174452	VESA desktop stand mount Flex for tablet
151692	ALLNET Touch Display Tablet 14 inch Installation set
151693	ALLNET Touch Display Tablet 14 inch Installation set
194996	ALLNET Touch Display Tablet 14 inch zbh. Bezel for mounting frame black narrow
194997	ALLNET Touch Display Tablet 14 inch zbh. Bezel for mounting frame Silver Wide
194998	ALLNET Touch Display Tablet 14 inch zbh. Bezel for mounting frame silver narrow
195008	ALLNET Touch Display Tablet 14 inch zbh. Wall mounting frame
206231	ALLNET Touch Display Tablet 14 inch zbh. Bezel for mounting frame White Wide
206232	ALLNET Touch Display Tablet 14 inch zbh. Bezel for mounting frame white narrow
147352	ALLNET Touch Display Tablet 14 inch mounting frame
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa
200763	ALLNET Wireless AC 800Mbps USB WLAN Stick Dongle ALL-WA0300AC
210287	ALLNET Replacement power supply unit zbh. DC jack -> DC plug adapter cable extension 5.5mm x 2.1mm -> 5.5mm x 2.1mm 1.5m
133125	ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker
188381	ALLNET PoE Inject PoE Gigabit (15,4W/30W/45/60/95W) "ALL0495BT"
158949	Rock Pi 4 zbh. USB 3.0 Male Type A to A 1,5m

[Click here to discover more items from this category in our shop.](#)