ALLNET Meetingraum RGB LED Tablet 15 Zoll RK3576 Android 16 und NFC/RFID Farbe schwarz

>>> Zum Shop-Artikel



EAN CODE

4 0 3 8 8 1 6 1 5 9 8 7 8

System	CPU				RK3576S Quad core cortex A53 +Quad core cortex A72									
	RAM				4GB									
	Internal memory				32GB									
	Operation system				Android 16									
	Touch screen				10-Point capacitive touch									
Display	Panel				15 Zoll LCD									

				panel									
	Panel Type			IPS									
	Resolution			1280*800									
	Display Colors			16.7M Colors									
	Viewing angle			R/L 85/85, U/D 85/85									
	Display mode			Normally black									
	Contrast ratio			1500:1									
	Response Time			25ms									
	Back-light Type			ELed									
	Luminance			280cd/m2									
	Aspect Ratio			16:9									
Network	WiFi			IEEE 802.11a/b/g/n/ac/ax									
	Bulletooth			Bluetooth 5.4									
	Ethernet			10M/100M/1000M ethernet									
Interface	SIM Slot			not included									
	SD Slot			SD card ,Max support to 64GB									
	Earphone			3.5m									

					m earphone + Microphone									
	USB				USB 3.0 host									
	USB				USB for serial (TTL Level) ,Optional USB Host									
	RJ45				Ethernet interface									
	Type-C				Only supports ADB function									
	Power jack				DC power input									
Media play	Video format				MPEG-1, MPEG-2, MPEG-4,H.265, H.264 ,VP9, AV1, AVS2 ,MVC ,AVC ,etc., support up									

				to 4K									
	Audio format			MP3/ WMA /AAC/ WAV/ OGG, etc									
	Photo			JPEG /PNG /GIF, etc									
Other	Product Colors			White /Black									
	VESA			75*75 mm									
	Button			Power									
	G-sensor			Support 90 degrees									
	Speaker			2*2W									
	Microphone			Single microphone									
	NFC			Optional,13.56MHz,ISO/IEC 18092, ISO/IEC 21481, ISO/IEC 14443 A&B, ISO/IEC 15693, Japanese Industrial Standard (JIS) (X) 6319-4, MIFARE Classic encrypted tags and cards									
	RFID			Optional ,125k,ISO/IEC 11784/11785,EM4100,TK4100/ GK4100									
	LED light bar			LED									

				light bar with RGB and mixed color									
	Camera			Routine angle 5.0MP with mipi									
	4G Moduel			Optional									
	Language			Multi-language									
	Certificates			CCC/CE/FCC									
	POE			Support IEEE802.3at,up to 30W									
Working Surrounding	Working Temperature			0°C---40°C									
	Storage Temperature			-20°C---60°C									
	Working Humidity			20~80%RH									
	Storage Humidity			10~95%RH									
Accessories	Adapter			Adapter,12V/1.5A									
	User manual			*1									

Merkmale

Merkmal	Wert
Abmessung:	397,4 x 256,4 x 28,5
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1920x1080
Betriebssystem:	Android 16
Bluetooth:	ja
Chipset:	RK3576
Diagonale:	15
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	32
IP Schutzklasse Display:	IP 20
Kamera:	ja
Mobilfunk:	nein
Montageart:	integrierte Halterung;
NFC&RFID:	13,56MHz
PoE Klasse:	802.3at 12,95-25,50 W Class 4
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
WLAN:	2,4&5
Gewicht:	3,18 Kg
Garantie:	24.00 Monate