


ALLNET Medizinisches PoE Tablet 10 Zoll mit RK3568 Android 11 4GB/32GB

>>> Vers l'article de la boutique en ligne



EAN CODE




ALLNET Medical PoE Tablet 10 inch with RK3568 Android 11, 4GB/16GB optional one-touch button with microphone for e.g. emergency call function (API) for integration into your own software

Système	RAM		4GB
	Internal memory		16GB
	Operation system		Android 11
	Touch screen		10-Point capacitive touch
Display	Panel		10.1"Panneau LCD
	Resolution		1280*800
	Display mode		Normally black
	angle de vision		85/85/85(L/R/U/D)
	Contrast ratio		800
	Luminance		250cdm2
	Aspect Ratio		16:9
Network	WiFi		802.11b/g/n/ac,2.4G/5G
	Ethernet		100M/1000M
	Bluetooth		Bluetooth 4.0



No. d'article: 217921
Numéro de fabricant: MedTab100

Interface	Type-c		Support
	Power Jack		DC power input
	RJ45		POE, ; ; IEEE802.3af, 15.4 Watt,
	USB		USB Host 2.0
	Serial		8P- 2.0MM (RS232 fomat)
	Earphone		3.5mm earphone +microphone
Media plays	Video format		MPEG-1,MPEG-2,M PEG-4,H.265,H.264, VC-1,VP8, etc.,support up to 4K
	Audio format		MP3/WMA/AAC etc.
	Photo		jpeg
Other	Vesa		100mm*100mm
	NFC		NXP NFC
	Speaker		2*2W
	Camera		5.0M/P,front camera
	Internal Microphone		Dual microphone (default)
	Language		Multi-langue
	Working temp		0--40degree
	Certificates		
	Adaptateur		Adaptateur,12V/1.5A
	Measurement		266.1 x 184.9 x 28.9mm



Attributs

Attribut	Valeur
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3568
Diagonale:	13,3
Einsatzbereiche:	Medical
Farbe Displayrand:	weiß
Farbe Gehäuse:	weiß
Hauptspeicher:	16
IP Schutzklasse Display:	IP 20
Kamera:	ja
NFC&RFID:	13,56MHz
PoE Klasse:	802.3af 6,49-12,95 W Class 3



No. d'article: 217921
Numéro de fabricant: MedTab100

Attribut	Valeur
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
WLAN:	2,4&5
Poids:	1 Kg
Garantie:	12.00 Mois

Accessoires

No. d'article	Désignation
193972	TP-TP coupler, CAT6A, socket, 1:1, 8-pin, RJ45, Security-Network coupler, drop socket, PoE capable, up to 10 Gbit (ABS housing) - ALL-RJ45-Magnet-V2
201008	TP-TP Kupplung,CAT6A,Buchse,1:1 ,8-pol., RJ45, magnetische Sicherungskupplung 50er Bulk Set, Abwurfbuchse, PoE fähig, bis zu 10GBit
157678	ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
154446	ALLNET medizinisches Netzteil 12V/3000mA
153223	ALLNET Bloc d'alimentation de rechange zbh. Rallonge DC 5,5mm x 2,1mm mâle-->DC mâle 4,0mm x 1,7mm, longueur 3m