


Synergy 21 LED Prometheus IP 68 Netzteil V2



| | |
|------------------------------|------------|
| kwh/1000h: | 27,00 |
| Lúmenes: | 1920 |
| Vatio: | 24,0 |
| Vida útil nominal: | 35000 Std. |
| Ciclos de conmutación: | 50000 |
| Temperatura ambiente óptima: | 25 °C |



Netzteil (Konstantstromquelle) für einfarbige Prometheus V1 und V2

Input: 170-250V, 50/60Hz (Kabellänge 180cm)

Output: 350mA, 40-85V, 28W max (Kabellänge 100cm)

Größe 200x22x19mm

Atributos

| Atributo | Valor |
|----------|-----------|
| Ampere: | 0.35 |
| Grösse: | 200*22*19 |
| Peso: | 0.661 Kg |

Imágenes adicionales



Accesorios

| Número de artículo | Denominación |
|--------------------|--|
| 115517 | Synergy 21 LED Prometheus IP 68 Netzteil V2 |
| 122975 | Mean Well LDH-45A-350W Driver 350mA ~30W regulable |
| 87840 | Synergy 21 Cable para Prometheus IP68 RGB-B, 10m |
| 87838 | Synergy 21 Cable para Prometheus IP68 RGB-B, 3m |
| 87839 | Synergy 21 Cable para Prometheus IP68 RGB-B, 5m |
| 87843 | Synergy 21 Adaptador T para Prometheus IP68 RGB-B, conexión |
| 87841 | Synergy 21 Adaptador T para Prometheus IP68 RGB-B, conexión |
| 81394 | Synergy 21 Protección Prometheus |
| 88251 | Synergy 21 LED Prometheus IP 68 Zubehör, Deck-Ring |
| 148726 | Synergy 21 Outdoor Kabelverbinder IP68 1:1 |
| 148727 | Synergy 21 Outdoor Kabelverbinder IP66 1:2 |
| 148730 | Synergy 21 Outdoor Kabelverbinder IP66 Box 3 Ports |
| 148729 | Synergy 21 Outdoor Kabelverbinder IP68 Box 3 Ports transparent |
| 148728 | Synergy 21 Netzteil - Wasserdichte Verbinder Box 4 Ports |
| 119258 | Mannesmann Juego de herramientas 13 piezas |
| 119265 | Mannesmann Juego de herramientas 20 piezas |