



Part No.: 227247
Vendor Part No.: MeetOne-101-C0

ALLNET meeting room RGB LED tablet 10 inch RK3568, 8GB/32GB, Wifi, Android 11, NFC, color black, MeetOne-101-C0



EAN CODE



ALLNET Meeting Room RGB LED Tablet 10 Inch RK3568, 8GB/32GB, WiFi, Android 11, NFC, Black, MeetOne-101-C0

Includes power adapter and integrated snap-in wall mount with theft protection. RGB LED for displaying warning signals, meeting room availability, etc.

Can be easily converted into time recording terminals or info terminals with ID, such as multi-party housing estates using NFC.

We will provide the API/SDK for NFC/RFID and LED on request.

For further information, please refer to the NFC datasheet.

System	CPU	RK3568, Quad-core cortex A55, 1.6G
	RAM	8GB
	Internal memory	16GB
	Operation system	Android 11
Display	Touch screen	10-Point capacitive touch
	Panel	10" LCD panel
	Resolution	1280*800
	Active area	217.4(H)x136.4mm(V)



Part No.: 227247
Vendor Part No.: MeetOne-101-C0

		)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	280cd/m2
	Aspect Ratio	16:10
Network	WiFi	2,4/5GHz 802.11a/b/g/n
	Ethernet	100M/1000M ethernet
	Buletooth	Bluetooth 5.0
Interface	Card slot	SD card
	USB	USB Host
	Micro USB	Micro USB OTG
	USB	USB for serial
	RJ45 with POE	RJ45
	POE	IEEE802.3at
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG-1,MPEG-2,M PEG-4,H.263,H.264, VC1,RV etc.,support up to 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg, png, etc.
Other	VESA	204.5mm
	NFC	NFC with 13.56MHz
	Camera	2.0M/P,Front camera
	Microphone	Microphone
	Speaker	2*1.5W
	LED Light bar	LED light bar with RGB and mixed color
	Working temp	0--40degree
	Certificates	CE/FCC/RoHS
	Language	Multi-language
Accessories	Adapter	Adapter,12V/1.5A
	User manual	yes




Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	H	L	W	H	L	W	H
259.36mm	178.36mm	28mm	390mm	220mm	68mm	405mm	363mm	240mm
Net(kg)	0.74KG		Net(kg)	2.3KG				

Attributes

Attribute	Value
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	8
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3568
Diagonale:	10
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	32
IP Schutzklasse Display:	IP 20
Kamera:	nein
Mobilfunk:	nein
Montageart:	integrierte Halterung;
NFC&RFID:	13,56MHz/125KHz
PoE Details:	IEEE 802.3af (PoE)
PoE Klasse:	802.3af 6,49-12,95 W Class 3
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
Weight:	2.2 Kg

Attribute	Value
Warranty:	24.00 Months

Additional Images



Accessories

Part No.	Name
209413	ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adapter EU/US/UK
248961	ALLNET Medical Tablet zbh. Netzteil 12V/2000mA 4.0mm Stecker
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,