


>>> Go to the shop article



EAN CODE



Discover the ALLNET PrimeOne Android 13 tablet – your gateway to a smart future! Equipped with Google certification, this powerful tablet not only offers a smooth Android experience, but also the assurance that you have access to the latest and greatest apps in the Google Play Store.

Our tablet is specifically designed for the end user who wants to get the most out of home automation and monitoring software. With MDM (Mobile Device Management) support, you retain full control over your tablet and can easily integrate it into your existing system.

Thanks to the innovative PoE (Power over Ethernet) support, the ALLNET PrimeOne Tablet makes installation easier than ever before. With just one cable for data transmission and power supply, you can place your tablet anywhere without having to worry about power sockets.

The conscious decision not to install a battery contributes to even more safety. No more worries about battery failures or replacements - the ALLNET PrimeOne Tablet is always ready to support your home automation and monitoring software in a reliable way.

Google certification ensures not only security, but also a wide range of applications ranging from entertainment to productivity. The ALLNET PrimeOne tablet is designed to simplify your everyday life while delivering the highest performance.

Stay connected with the integrated Wi-Fi functionality. Whether you place your tablet in the living room or in the garden, you always have access to your smart home devices and monitoring systems.

The built-in TeamViewer support allows you to access your tablet from anywhere in the world. This is particularly useful when you are travelling and still want to retain full control of your home automation and monitoring software. Whether you want to control your lighting, temperature or security cameras - the ALLNET PrimeOne



tablet makes it easy and convenient.

Get the ALLNET PrimeOne Android 13 tablet today and experience the future of home automation in your own home. Don't miss out on the chance to make your home smarter and safer - with the ALLNET PrimeOne tablet you are well equipped!

Integration NFC üvia USB - ACR-1252U-MW Wallet Mate. Certified NFC reader for payments via Google. Can therefore also be used as a cash register.

Model		
Product Type	10.1" POE	PrimeOne101-L
Description		
System	CPU/GPU	Rockchip RK3568 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU
	RAM	8GB
	ROM	64GB
	System	Android 13
Display	screen	10.1-inch IPS panel
	resolution	1200x800 Wide viewing
	Contrast	1000
	Brightness	500nits
Network	WiFi	802.11a/b/g/n 2.4/5GHz
	Ethernet	POE
	Bluetooth	YES
Jack	SD	Support SD card (Max 32G)
	USB Host x 2	USB Host 3.0/2.0
	RJ-45	PoE 15.4 Watt class 4
	DC	DC 12V 2A
	Headset	3.5mm stereo headphone/micro output
Multimedia	Video	Video decode – H.264/4K H.265/VP9 Video encode – 1080p60 Hz.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
other functions	Wireless mouse	Support
	Wireless keyboard	Support

	Speak	2Wx2
	Camera	2 million pixel camera
	OSD Language	Multi language OSD operation
attachment	Adapter	12V/2A
	Desktop Bracket	Standard

Attributes

Attribute	Value
Abmessung:	245x186x115 mm
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	8
Auflösung Panel:	1280x800
Betriebssystem:	Android 13
Bluetooth:	ja;
Chipset:	RK3568
Diagonale:	10;
Einsatzbereiche:	indoor
Farbe Displayrand:	weiß
Farbe Gehäuse:	weiß;
Hauptspeicher:	64
IP Schutzklasse Display:	IP 20
Kamera:	ja
Mobilfunk:	nein
NFC&RFID:	USB - ACR-1252U-MW Wallet zertifiziert
PoE Details:	IEEE 802.3af (PoE) liefert 15 W Ausgangsleistung bzw. bis zu 12,95 W am Endgerät
Produktart:	Tablet
SIP Einbindung:	Nein
Stromversorgung:	PoE und Netzteil
Touchscreen:	Capacitiv
Video Eingang:	nein
WLAN:	2,4/5



Part No.: 231209
Vendor Part No.: PrimeOne101-L

Attribute	Value
Weight:	1,2 Kg
Warranty:	12.00 Months

Accessories

Part No.	Name
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,