

>>> Go to the shop article



EAN CODE



The new ALLNET Media Players are equipped with the latest chipsets and impress with their performance. This device can also be used as an Ubuntu Server. The application areas are versatile, e.g. home automation or video surveillance.

ALLNET PrimeOne Player

With the ALLNET PrimeOne Media Player, you can enjoy an impressive multimedia experience thanks to its powerful RK3568 processor and generous 8GB RAM and 64GB storage. Choose between models with or without LTE for maximum flexibility.

Main features of the RK3568 processor:

- Quad-Core ARM Cortex-A55 CPU
- Mali-G52 GPU for excellent graphics performance
- Supports 4K UHD video output
- High-performance AI acceleration
- Efficient power management

The elegant, cooling metal housing with practical VESA mounting allows seamless integration into your setup. The accessories include a remote control, a USB cable for updates, an HDMI cable and a 12V power supply – everything you need for immediate start.

Experience highest performance and versatile connectivity with the ALLNET PrimeOne Media Player.

Model NO. PrimeOne-Play		



Part No.: 228324
Vendor Part No.: PrimeOne-Play

Product Type	Player	ohne LTE
Description		
System	CPU/GPU	Rockchip RK3568 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU
	RAM	8GB
	ROM	64GB
	System	Android 13 rooted
HDMI		
	resolution	4k HDMI
Network	WiFi	802.11a/b/g/n/ac/ax 2,4/5GHz
	Ethernet	1GBit
	Bluetooth	YES
Jack	SD	Support SD card (Max 32G)
	USB Host x 2	USB Host 3.0/2.0
	RJ-45	yes
	DC	DC 12V 2A
	Headset	3.5mm stereo headphone/micro output
Multimedia	Video	Video decode – H.264/4K H.265/VP9 Video encode – 1080p60 Hz.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
other functions	Wireless mouse	Support
	Wireless keyboard	Support
	Touch	Touchmonitor support by USB cable
	Camera	no
	OSD Language	Multi language OSD operation
attachment	Adapter	12V/2A
	Desktop Bracket	Standard
	Vesa	75x75mm



Attributes

Attribute	Value
Abmessung:	186x141x25 mm
Alternative Betriebssysteme:	Linux;
Betriebssystem:	Android 13
Bluetooth:	ja;
Chipset:	RK3568
Einsatzbereiche:	indoor
Farbe Gehäuse:	schwarz;
Hauptspeicher:	64
IP Schutzklasse Display:	IP 20
Kamera:	nein
Mobilfunk:	nein
Montageart:	Vesa 75x75;
SIP Einbindung:	Nein
Stromversorgung:	Netzteil
Touchscreen:	kapazitiv
Video Eingang:	nein
WLAN:	2,4/5
Weight:	1,1 Kg
Warranty:	12.00 Months

Accessories

Part No.	Name
210354	ALLNET PoE Splitter-Mini/Extractor / Gigabit / 24W / 5V/12V Switchable / ALL-PS102G-AF-AT
248960	ALLNET PoE Splitter/Extractor industrial • 1x GbE PoE BT IN • 1x GbE PoE Out • 5V/9V/12V/24V adjustable • DIN-Rail • ALL-PSI104G-BT90-PD
214123	ALLNET Air Mouse G10 Pro Remote Control 2.4GHz USB Dongle with Infrared