






**NOTE:****ELECTRICAL:**

1. VOLTAGE RATING : 125V AC RMS
2. CURRENT RATING : 1.5A mp
3. CONTACT RESISTANCE : 100 MILLI OHMS MAX
4. INSULATION RESISTANCE : 1000M OHMS MIN @ 500V DC
5. DIELECTRIC STRENGTH : 750V AC RMS 60Hz, 1MIN
- CAT.6A PERMANENT LINK : CONFORM TO ANSI/TIA-568-C.2
IEC 11801 PL2 CLASS Ea

Accessory:

1. Instruction Sheet 1pcs

RoHS2.0 AND REACH COMPLIANT

PACKING:1PC/PE BAG+brown box+LABEL 1

Designable

Suitable for central plate of the Germany Company Busch
Jaeger and Jung**ENVIRONMENTAL:**

1. STORAGE : -40° TO+85°
2. OPERATION : 0° TO+70°
- RJ45 JACK COMPLY TO REQUIREMENTS OF IEC-60603-7-5
- MATES WITH MODULAR PLUG CONFORMING TO FCC PART 68

MECHANICAL

1. COVER&SHUTTER: FLAME RETARDANT ABS
2. JACK HOUSING : PBT+15%GF UL94V0
3. PCB : FR-4 THICKNESS:1.6MM
4. CONTACT MATERIAL: PHOSPHOR BRONZE T=0.35MM 8P8C 3u"Gold Plated
5. IDC CONTACT : PHOSPHOR BRONZE T=0.50MM WITH NICKEL PLATING
6. MOUNTING BRACKET: ZINC ALLOY#3
7. TOP COVER : ZINC ALLOY#3
8. RJ45 JACK LIFE: 750 TIMES MIN
9. IDN LIFE : 200 TIMES MIN
10. WIRE : AWG 22-24 Cable Conductor OD:0.65MM-0.5MM
11. IDC BODY :Krone Type Fireproof PC/ABS UL-94V0/
With Colour Coded Printing T568A/B
12. RETENTIVENESS OF INSERTION STRUCTURE: 50N 60±5s

ITEM NO.

COLOUR

S216358


RAL9010

SYNERGY 21


		UPDATE PACKING TYPE	2018-03-20	A2	CUSTOMER		ITEM NO.	S216358		
		UPDATE	2014-06-11	A1	PRODUCT NAME	CAT. 6A WALL OUTLET vertical cable entry	MANUFACTURE COUNTRY:	CHINA	UNIT	MM
		NEW	2014-05-12	A	DRAWNBY	CHECKBY	APPOBY	DATE		
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2018-03-20		




Face plate+pe bag




walloutlet+pe bag



1pcs/small box+user guide+label 1



Label 1




SHIPPING MARK

SIDE MARK



PO NO. :
REACH and ROHS 2.0 Compliant
MADE IN CHINA

PO NO. :
Item no:
Q' TY:
N. W
G. W
Carton no.
MEAS.



64PCS/ Carton bag+label 1

- 1.Packing:1PCS/PE Bag+Inner Carton +instruction+ Label 1, 64PCS/ Carton bag+label 1
2. “工” type sealing
3. “井” type packaging

		UPDATE PACKING TYPE	2018-03-20	A2	PRODUCT NAME	PACKING	MANUFACTURE COUNTRY :	CHINA	UNIT	MM
		NEW	2014-06-11	A	DRAWNBY		CHECKBY	APPOBY		DATE
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.	SYNERGY 21		SYNERGY 21	SYNERGY 21		2018-03-20

UPDATE PACKING TYPE

2018-03-20 A2





NEW

2014-06-11 A

REVISION RECORD MODIFICATIONS


DATE

REV.




ITEM NO.	COLOUR
S216328	Pure White RAL9010
S216329	Pearl White RAL1013



NOTE:
MATERIAL:ABS
SIZE:80MM*80MM*40MM
RoHS2.0 AND REACH COMPLIANT
ACCESSORY: SCREW M3*14 2PCS



		UPDATE PACKING TYPE	2018-03-20	A3	SYNERGY 21					
		UPDATE PRODUCT	2014-09-24	A2	CUSTOMER		ITEM NO.	see the chart		
		UPDATE ROHS COMPLIANT	2013-07-10	A1	PRODUCT NAME	mounting box	manufacture country:	CHINA	UNIT	MM
		NEW	2011-07-11	A	DRAWNBY	CHECKBY	APPOBY	DATE		
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2018-03-20		




mounting box+pe bag



pe bag label

- 1. Packing: 1PCS/PE Bag A+Label 1, 96PCS/CTN+LABEL 1
- 2. “工” type sealing
- 3. “井” type packaging



96PCS/CTN+LABEL 1

SHIPPING MARK



PO NO. :
REACH and ROHS 2.0 Compliant
MADE IN CHINA

SIDE MARK

PO NO. :
Item no:
Q' TY:
N. W
G. W
Carton no.
MEAS.

1. Packing: 1PCS/PE Bag A+Label 1, 96PCS/CIN+LABEL 1					SYNERGY 21					
2. “工” type sealing										
3. “井” type packaging										
					CUSTOMER			ITEM NO.	see the chart	
		UPDATE PACKING TYPE	2018-03-20	A3	PRODUCT NAME	PACKING	manufacture country:	CHINA	UNIT	MM
		NEW			DRAWNBY		CHECKBY	APPOBY		DATE
BY	CHK	REVISION RECORD MODIFICATIONS	DATE	REV.	SYNERGY 21		SYNERGY 21	SYNERGY 21		2018-03-20